JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com Tel:+86-519-85109160 URL:http://www.jsmone.com

MATERIAL SAFETY DATA SHEET

GROM(GLYPHOSATE 480G/L SL)

Product name: GROM(GLYPHOSATE 480G/L SL) Company: Jiangsu Agrochem Laboratory Co., Ltd

98 MinJiang Rd, Hi-tech Development Zone, Changzhou, Jiangsu, China

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: GROM (glyphosate 480 g/L SL)

EPA Reg. No.: 524-475 Product use: Herbicide

2. COMPOSITION/INFORMATION ON INGREDIENTS

Active ingredient

Isopropylamine salt of N-(phosphonomethyl)glycine;

{Isopropylamine salt of glyphosate}

Composition

COMPONENT

CAS No.

% by weight (approximate)

Isopropylamine salt of glyphosate

38641-94-0 48

Other ingredients

52

3. HAZARDS IDENTIFICATION

Emergency overview

Appearance and odour (colour/form/odour): Clear - Amber / Liquid / weet

Potential health effects

Likely routes of exposure

Skin contact, eve contact

Eye contact, short term

May cause temporary eye irritation.

Skin contact, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Inhalation, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Refer to section 11 for toxicological and section 12 for environmental information.

4. FIRST AID MEASURES

Eve contact

If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact

lenses, if present, after first 5 minutes, then continue ringing

Skin contact

Take off contaminated clothing, wristwatch, jewellery.

Wash affected skin with plenty of water.

Wash clothes and clean shoes before re-use.

Inhalation

Remove to fresh air.

JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com
Tel:+86-519-85109160 URL:http://www.jsmone.com

Ingestion

Immediately offer water to drink.

Do NOT induce vomiting unless directed by medical personnel.

If symptoms occur, get medical attention.

Advice to doctors

This product is not an inhibitor of cholinesterase.

Antidote

Treatment with atropine and oximes is not indicated.

5. FIRE-FIGHTING MEASURES

Flash point

None.

Extinguishing media

Recommended: Water, foam, dry chemical, carbon dioxide (CO2)

Unusual fire and explosion hazards

Minimise use of water to prevent environmental contamination.

Environmental precautions: see section 6.

Hazardous products of combustion

Carbon monoxide (CO), phosphorus oxides (PxOy), nitrogen oxides (NOx)

Fire fighting equipment

Self-contained breathing apparatus.

Equipment should be thoroughly decontaminated after use.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protection recommended in section 8.

Environmental precautions

Minimise spread.

Keep out of drains, sewers, ditches and water ways.

Notify authorities.

Methods for cleaning up

Absorb in earth, sand or absorbent material.

Dig up heavily contaminated soil.

Collect in containers for disposal.

Refer to section 7 for types of containers.

Flush residues with small quantities of water.

Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed

Handling

When using do not eat, drink or smoke.

Wash hands thoroughly after handling or contact.

Thoroughly clean equipment after use.

Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.

JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com
Tel:+86-519-85109160 URL:http://www.jsmone.com

Emptied containers retain vapour and product residue.

Refer to section 13 for disposal of rinse water.

Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.

Storage

Compatible materials for storage: stainless steel, aluminium, fibreglass, plastic, glass lining Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.

Keep out of reach of children.

Keep away from food, drink and animal feed.

Keep only in the original container.

Partial crystallization may occur on prolonged storage below the minimum storage temperature.

If frozen, place in warm room and shake frequently to put back into solution.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

No special requirement when used as recommended.

Eve protection

If there is significant potential for contact:

Wear chemical goggles.

Skin protection

If repeated or prolonged contact:

Wear chemical resistant gloves.

Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

9. PHYSICAL AND CHEMICAL PROPERTIES

Colour/colour range: Clear - Amber

Form: Liquid Odour: Sweet Flash point: None.

Specific gravity: 1.169 @ 20 °C / 15.6 °C

Vapour pressure: 25 mmHg 24 °C

Solubility: Water: Completely miscible.

pH: 4.4 - 5.0

Partition coefficient (log Pow): -3.2 @, 25 °C (glyphosate)

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions of handling and storage.

Hazardous decomposition

Thermal decomposition: Hazardous products of combustion:

see section 5.

Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable

JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com Tel:+86-519-85109160 URL:http://www.jsmone.com

gas that could explode.

11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on product and components are summarized below.

Acute oral toxicity

Rat, LD50: 5,108 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

Acute dermal toxicity

Rat, LD50 (limit test): > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

No mortality.

Acute inhalation toxicity

Rat, LC50, 4 hours, aerosol: 2.9 mg/L

Other effects: weight loss, breathing difficulty

Practically non-toxic.

FIFRA category IV.

Skin irritation

Rabbit, 6 animals, OECD 404 test:

Days to heal: 3

Primary Irritation Index (PII): 0.5/8.0

Essentially non irritating.

FIFRA category IV.

Eye irritation

Rabbit, 6 animals, OECD 405 test:

Days to heal: 3

Slight irritation.

FIFRA category III.

Skin sensitization

Guinea pig, Buehler test:

Positive incidence: 0 %

N-(phosphonomethyl)glycine; {glyphosate}

Mutagenicity

In vitro and in vivo mutagenicity test(s):

Not mutagenic.

Repeated dose toxicity

Rabbit, dermal, 21 days:

NOAEL toxicity: > 5,000 mg/kg body weight/day

Target organs/systems: none

Other effects: none Rat, oral, 3 months:

NOAEL toxicity: > 20,000 mg/kg diet

Target organs/systems: none

JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com Tel:+86-519-85109160 URL:http://www.jsmone.com

Other effects: none

Chronic effects/carcinogenicity

Mouse, oral, 24 months:

NOEL tumour: > 30,000 mg/kg diet NOAEL toxicity: ~ 5,000 mg/kg diet

Tumours: none

Target organs/systems: liver

Other effects: decrease of body weight gain, histopathologic effects

Rat, oral, 24 months:

NOEL tumour: > 20,000 mg/kg diet NOAEL toxicity: ~ 8,000 mg/kg diet

Tumours: none

Target organs/systems: eyes

Other effects: decrease of body weight gain, histopathologic effects

Toxicity to reproduction/fertility

Rat, oral, 3 generations:

NOAEL toxicity: > 30 mg/kg body weight NOAEL reproduction: > 30 mg/kg body weight

Target organs/systems in parents: none

Other effects in parents: none

Target organs/systems in pups: none

Other effects in pups: none

Developmental toxicity/teratogenicity

Rat, oral, 6 - 19 days of gestation:

NOAEL toxicity: 1,000 mg/kg body weight

NOAEL development: 1,000 mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival Developmental effects: weight loss, post-implantation loss, delayed ossification

Effects on offspring only observed with maternal toxicity.

Rabbit, oral, 6 - 27 days of gestation:

NOAEL toxicity: 175 mg/kg body weight

NOAEL development: 175 mg/kg body weight

Target organs/systems in mother animal: none

Other effects in mother animal: decrease of survival

Developmental effects: none

12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on product and components are summarized below.

Aquatic toxicity, fish

Rainbow trout (Oncorhynchus mykiss):

Acute toxicity, 96 hours, static, LC50: 5.4 mg/L

Moderately toxic.

Bluegill sunfish (Lepomis macrochirus):

Acute toxicity, 96 hours, static, LC50: 7.3 mg/L

Moderately toxic.

Aquatic toxicity, invertebrates

JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com Tel:+86-519-85109160 URL:http://www.jsmone.com

Water flea (Daphnia magna):

Acute toxicity, 48 hours, static, EC50: 11 mg/L

Slightly toxic.

Avian toxicity

Mallard duck (Anas platyrhynchos):

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet

Practically non-toxic.

Bobwhite quail (Colinus virginianus):

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet

Practically non-toxic.

Arthropod toxicity

Honey bee (Apis mellifera):

Oral/contact, 48 hours, LD50: > 100 μg/bee

Practically non-toxic.

Soil organism toxicity, invertebrates

Earthworm (Eisenia foetida):

Acute toxicity, 14 days, LC50: > 1,250 mg/kg soil

Practically non-toxic.

N-(phosphonomethyl)glycine; {glyphosate}

Bioaccumulation

Bluegill sunfish (Lepomis macrochirus):

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

Dissipation Soil, field:

Half life: 2 - 174 days Koc: 884 - 60,000 L/kg

Water, aerobic: Adsorbs strongly to soil.

Half life: < 7 days

13. DISPOSAL CONSIDERATIONS

Product

Excess product may be disposed of by agricultural use according to label instructions.

Keep out of drains, sewers, ditches and water ways.

Recycle if appropriate facilities/equipment available.

Burn in proper incinerator.

Follow all local/regional/national/international regulations.

Container

See the individual container label for disposal information.

Emptied containers retain vapour and product residue.

Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.

Empty packaging completely.

Store for collection by approved waste disposal service.

Ensure packaging cannot be reused.

Do NOT re-use containers.

Recycle if appropriate facilities/equipment available.

JIANGSU AGROCHEM LABORATORY CO., LTD

98 Minjiang Road, Hi-tech Zone, Changzhou, Jiangsu 213022, China Fax:+86-519-85108097 Email:zhonghuachen@jsmone.com Tel:+86-519-85109160 URL:http://www.jsmone.com

Follow all local/regional/national/international regulations.

14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly

classify your shipment for transportation.

Not hazardous under the applicable DOT, ICAO/IATA, IMO, TDG and Mexican regulations.

15. REGULATORY INFORMATION

TSCA Inventory

All components are on the US EPA's TSCA Inventory

OSHA Hazardous Components

Surfactant

SARA Title III Rules

Section 311/312 Hazard Categories

Immediate

Section 302 Extremely Hazardous Substances

Not applicable.

Section 313 Toxic Chemical(s)

Not applicable.

CERCLA Reportable quantity

Not applicable.

16. OTHER INFORMATION

Disclaimer: The information provided by Nanjing Red Sun International Trading Co., Ltd

contained herein is given in good faith and to the best of our knowledge. How

warranty is expressed or implied.

Prepared by: Division of Products Registration

Updated on: Feb., 2007